

# MEGA ETCH™ ETCHING MACHINE



GLOBAL LEADER IN ENGRAVING METALS
AND ETCHING CHEMICALS






# MEGA ETCH

The MegaEtch™ has been specically designed and built to ensure the stability and performance of a traditional etching machine, together with many other innovations including start up timers, touch screen control panel for initial set up parameters of the unit (for I20L machine), along with other features to aid today's etchers' expectations.

The bath and external panels are constructed of heavy gauge stainless steel with easily sourced and maintainable mechanical parts and motors. All electrical components are certified to meet worldwide electrical power specifications.



Mega Etch™ 120L has a 120 Litre bath capacity and a maximum plate size of 500 x 650mm; giving the magnesium engraver flexibility and improved productivity. You have instant access and complete control over the cooling, heating and paddle speed via the stand alone (touch screen), user friendly, control panel.

MegaEtch™ 60L has a 60 Litre bath capacity and a maximum plate size of 400 x 500mm; giving the magnesium engraver flexibility and improved productivity. You have instant access and complete control over the cooling, heating and paddle speed via the stand alone, user friendly, control panel.

MegaEtch™ 45L has a 45 Litre bath capacity and a maximum plate size of 400 x 500mm; giving the magnesium engraver flexibility and improved productivity. You have instant access and complete control over the cooling, heating and paddle speed via the stand alone, user friendly, control panel.



# MegaEtch™ Etching Machine


## TECHNICAL DATA


### **ME 120L**


Size/Weight of machine:  $1850 \times 1320 \times 1260$ mm / 575kgs Size/Weight of Control Panel:  $560 \times 450 \times 1210$ mm / 55kgs

### ME 60L/45L

Size/Weight of machine: I 120  $\times$  I 140  $\times$  I 310mm / 270kgs Size/Weight of Control Panel:  $600 \times 600 \times 800$ mm / 20kgs









# ELECTRICAL CONSUMPTION

200-240V IW+N-PE/GND 22A - 50/60Hz 200-240V 2W+N-PE/GND 22A - 60Hz 200-220V 3W+N-PE/GND 16A - 50/60Hz 400V 3W+N-PE/GND 14A - 50/60Hz





# LUXFER® GRAPHIC ARTS

### Visit **www.luxferga.com** for more information.

Luxfer Graphic Arts - North America 1001 College Street, PO Box 258 Madison, IL 62060, USA Tel: +1 618 452 5190

Email: lga.usa.sales@luxfer.com

Luxfer Graphic Arts - Europe Elektron Technology Centre, Lumns Lane Manchester, M27 8BF, United Kingdom Tel: +44 (0) 161 911 1000

Email: lga.uk.sales@luxfer.com

Luxfer Graphic Arts -India

Jayem Trade Pvt Ltd. Logitech Park, Plot no 7, Road no 10 EPIP,Whitefield, Bangalore – 560066 Karnataka, India Tel: +91 (080) 41353530

Fax: +91 (080) 41353556

Email: lga.in.sales@luxfer.com

Luxfer Graphic Arts - Latin America

Zonamerica Local 703, 704 Ruta 8 Km. 17.500, CP 91600 Montevideo, Uruguay Tel: +1 618 452 5190

Email: lga.usa.sales@luxfer.com